TECHNICAL MEMORANDUM



TO:

Carl Bach, The Boeing Company

FROM:

Kristy Hendrickson

DATE:

May 25, 2005

RE:

CATCH BASIN SAMPLING AT NORTH BOEING FIELD

INTRODUCTION


This memorandum provides historical analytical results for solid material samples from the storm system catch basins at the south end of North Boeing Field that are upstream of the 24-inch King County storm line draining through the north end of the Jorgensen property to the Duwamish Waterway. The property where these catch basins are located was previously leased by The Boeing Company (Boeing). One catch basin, No. 584 (also identified as Manhole-1-E), is located in the 24-inch storm line just before the line enters East Marginal Way South. Three catch basins (No. 565, No. 579, and No. 580) are each located at the outlet of a channel drain that discharges into the 24-inch storm line. The locations of catch basin No. 565 and channel drain No. 564 are shown on Drawing C328. The locations of catch basin No. 579 and channel drain No. 578, catch basin No. 580 and channel drain No. 581, and catch basin No. 584 are shown on Drawing C329. The 24-inch King County storm line also conveys water from east of the property formerly leased by Boeing. No information regarding concentrations of PCBs in this portion of the storm line is available to us.

Boeing personnel collected samples of solid material from catch basin No. 584 in 1997 and from all four catch basins (No. 565, No. 579, No. 580, and No. 585) in 2000 in conjunction with periodic removal and offsite disposal of catch basin solid material. The 1997 sample was analyzed for polychlorinated biphenyls (PCBs), metals, and heavy petroleum oils by the Boeing Information, Space and Defense Systems Environmental Analysis Laboratory. The 2000 samples were analyzed for PCBs, metals, selected volatile organic compounds, and total petroleum hydrocarbons by Boeing's Renton Environmental Laboratory. Solid material from the four catch basins was collected by Landau Associates personnel in 1998 and analyzed for PCBs by Analytical Resources, Inc. For both the 1998 and 2000 sampling, the samples from catch basins No. 579 and No. 580 are identified by the number of the channel drain where they are located, No. 578 and No. 581, respectively. Total detected PCB concentrations were less than 1 mg/kg in every sample from the three catch basins located in channel drains. Total PCB concentrations in catch basin No. 584, located in the 24-inch King County storm line, were 51 mg/kg in 1997, 31 mg/kg and 36 mg/kg in 1998, and 213 mg/kg in 2000. PCB results are summarized in Table 1,

attached. Copies of the laboratory data sheets for these samples and the data validation memorandum for the 1998 sampling are also attached.

KJH:rgm

Attachments






TABLE 1 CATCH BASIN SOLID MATERIAL CATCH BASINS 565, 579, 580, AND 584 NORTH BOEING FIELD

Location: Lab ID: Date Collected: Analysis Method:	CB-565 Y291D 08/18/1998 8081	CB-565 59403 05/21/2000 8082	CB-584 3920-32346 09/26/1997 8082	CB-584 Y291G 08/18/1998 8081	CB-584-Dup Y291A 08/18/1998 8081	CB-584 59406 05/21/2000 8082	CD-578 (a) Y291F 08/18/1998 8081	CD-578 (a) 59404 05/21/2000 8082	CD-581 (b) Y291E 08/18/1998 8081	CD-581 (b) 59405 05/21/2000 8082
PCBs (mg/kg)							T.			æ
Aroclor 1016	0.044 U			1 U	0.97 U		0.034 U	~ ~	0.043 Ü	[
Aroclor 1016/1242		0.01 U	0.05 U	*	*	2.31 U		0.02 U		0.02 U
Aroclor 1221	0.088 U		* *	. 2 U	1.9 U		0.069 ป		0.086 U	a a
Aroclor 1232	0.044 U	0.01 U	0.05 U	1 U	0.97 U	2.31 U	0.034 U	0.02 U	0.043 U	0.02 U
Aroclor 1242	0.044 U			1 U '	0.97 U		0.034 U		0.043 U	
Aroclor 1248	0.044 U	0.01 U	0.05 U	1 U	0.97 U	2.31 U	0.034 U	0.02 U	0.043 U	0.02 U
Aroclor 1254	0.093	0.01 U	51	31	36	128	0.45	0.29	0.29	0.76
Aroclor 1260	0.038 J	0.05	0.05 U	1 U	0.97 U	85	0.4	0.14	0.31	0.21
Aroclor 1262	0 U	0.01 U	0.05 U	0 U	0 U	2.31 U	0 U	0.02 U	0 U	0.02 U
PCB, total	0.131	0.05	51	31	36	213	0.85	0.42	0.6	0.97

⁽a) Sample collected from Catch Basin No. 579.

⁽b) Sample collected from Catch Basin No. 580.

U = Indicates that the target analyte was not detected at the reported concentration.

J = Estimated concentration when the value is less than ARI's established reporting limits.

LABORATORY REPORT

ENVIRONMENTAL ANALYSIS LABORATORY
BOEING INFORMATION, SPACE & DEFENSE SYSTEMS
18-62 BLDG. M/s: 8J-55 PHONE: 773-8934

Report No.: 9-4190-LAB-3920

Report Date: 16-OCT-1997

TCLP-HG:

To: Larry Petersen Orgn.: R-1150 M/S: 19-16

Please find enclosed the set of analytical results for the 4 sample(s) submitted to the Environmental Analysis Laboratory on 26-SEP-1997 by FREDERICKSON.

All samples were received in good condition with proper paperwork, unless otherwise indicated.

The samples indicated in this report will be discarded in 22 days. These samples may be held for longer periods upon request.

Method References

HG1: VOA1-60:	EPA Method 245.5 (Manual Cold Vapor Technique). SW-846 Method 8260A
AS1-GF:	EPA Method 206.2 (Atomic Absorption, furnace technique),
	Digestion per SW-846 Method 3050
SE1-GF:	EPA Method 270.2 (Atomic Absorption, furnace technique),
	Digestion by SW-846 Method 3050.
TCLP-SE:	EPA Methods 270.2 (Atomic Absorption, furnace technique).
5	Extraction by SW-846 Method 1311 (TCLP).
TCLP-AS:	EPA Methods 206.2 (Atomic Absorption, furnace technique).
	Extraction by SW-846 Method 1311 (TCLP).
DIII.	
PH1:	SW-846 Method 9045A (Electrometric)
DRYWEIGHT:	SW-846 Method 1311 (Percent Solids Determination, section
*	7.1.1).
TCLP:	EPA Method 200.7 (Inductively Coupled Plasma). Extraction by
	SW-846 Method 1311 (TCLP).
PCB1:	SW-846 Method 8080A (Modified for capillary column).
3050-14:	EPA Method 200.7 (Inductively Coupled Plasma). Digestion by
	SW-846 Method 3050.
WTPH-O1:	WDOE TPH Analytical Methods for Soil and Water (EPA Method
	418.1 - Modified)
	110.1 110011100/

EPA Method 245.1 (Manual Cold Vapor Technique). Extraction by

SW-846 Method 1311 (TCLP).

All raw data and copies of results are kept on file in the Environmental Analysis Laboratory. If you have any questions or require additional information, please contact the Environmental Analysis Laboratory on 773-8934.

Reviewed by:

Dale Meland Orgn.: 9-4190 EAL# 32346 Matrix: SOIL SEDIM Description : 584 MH-1-E Sampling Site : North Boeing Field Miscellaneous Site Sample Date : 26-SEP-1997 at 11:05 Received by lab: 27-SEP-1997 at 12:32 Status: Authorized Component Name Result Test Name HG1 Mercury in soil/sediment $2.1 \, \text{mg/kg}$ VOA1-60 GC-MS results found at end of report AS1-GF Arsenic (Total) 22 mg/kg < 0.77 mg/kgSE1-GF Selenium (Total) TCLP-SE Selenium <15.300 ug/L TCLP-AS Arsenic 27 ug/L PH1 Soil/Solid pH (in water) 7.61 85.56 % DRYWEIGHT Dry weight (%) TCLP Chromium < 0.060 mg/LCadmium <0.040 mg/L 0.61 mg/L Lead Silver <0.030 mg/L Barium 0.46 mg/L PCB1 Sample Preparation Extraction and Acid Wash Arochlor 1232 <0.05 mg/Kg Arochlor 1016/1242 <0.05 mg/Kg Arochlor 1248 <0.05 mg/Kg Arochlor 1254 51 mg/Kg Arochlor 1260 <0.05 mg/Kg Arochlor 1262 <0.05 mg/KgTotal PCB
TCMX (Surrogate) 51 mg/Kg 135.0 % Recovery DCBP (Surrogate) 139.0 % Recovery 3050-14 Chromium (Total) 63 mg/kg Copper (Total) 67 mg/kg Nickel (Total) 45 mg/kg 7.6 mg/kg Cadmium (Total) 340 mg/kg Lead (Total) Zinc (Total) 300 mg/kgSilver (Total) <0.17 mg/kg8900 mg/kg Aluminum (Total) 37 mg/kg Barium (Total) Calcium (Total) 4600 mg/kg Cobalt (Total) 110 mg/kg ' Iron (Total) 41000 mg/kg

EAL LABORA	ATORY REPORT NO.: 9-4190-LAB-3920	(continued)
Test Name	Component Name	Result
	Magnesium (Total) Molybdenum (Total)	3500 mg/kg 5.0 mg/kg
WTPH-01	Heavy Petroleum Oils	809.7 mg/kg
TCLP-HG	Mercury	<0.500 ug/l



17 September 1998

RECEIVED

SEP 17 1998

Joan McGilton
The Boeing Company
Shared Services Group
P.O. Box 3707, MS 7A-XA
Seattle, WA 98124-2207

LANDAU ASSOCIATES, INC.

RE: Project: NBF PCBs / Landau Project #25082.52 / ARI Job Y291

25082.51

Dear Joan:

Please find enclosed original chain of custody (COC) records and analytical results for the above referenced project. Eleven soil samples and one equipment wipe blank were received in good condition from Landau Associates, Inc. on August 18, 1998.

Samples were pre-screened by GC/ECD to determine appropriate extraction levels. All extracts were cleaned up with acid and mercury to eliminate chromatographic interferences. Several samples required extract dilution and reanalysis to quantitate all Aroclors within the curve range of the GC/ECD.

No other complications were noted for this delivery group. Quality control analysis results are included for your review. Copies of the reports and all associated raw data will be kept on file at ARI. If you have any questions or require additional information, please contact me at your convenience.

Sincerely,

ANALYTICAL RESOURCES, INC

11 M Bri

Jennifer M. Baier Project Manager

Jennifer@arilabs.com

JMB/jb Enclosure

cc: Deborah Ladd, Landau Associates, Inc. (Edmonds, WA)



SOIL AROCLOR SURROGATE SUMMARY

Matrix: Wipe

QC Report No: Y291 Project: NBF PCBs

25082.52

LIMS ID	Lab ID	Client ID		DCBP #	TCMX #	TOT OUT
			ă.			
98-17039MB	082698MB	Method Blank	**	101%	99.5%	0
98-17039SB	082698SB	Lab Control		90.0%	85.0%	0
98-17039	Y291L	Equipment Blank	4	94.5%	89.9%	0

QC LIMITS

(TCMX) = Tetrachloro-m-xylene (33-134)(DCBP) = Decachlorobiphenyl (43 - 155)

- Column to be used to flag recovery values
- Values outside of required QC limits
- Surrogate Compound diluted out

Page 1 for Y291

FORM-II PCB



Sample No: Equipment Blank 4

Lab Sample ID: Y291L

QC Report No: Y291-Boeing Corporate SHEA

LIMS ID: 98-17039

Project: NBF PCBs

Matrix: Wipe

25082.52

Date Sampled: 08/18/98

Date Received: 08/18/98

Data Release Authorized:

Reported: 08/31/98

Date extracted: 08/26/98 Date analyzed: 08/28/98

GPC Cleanup: No Florisil Cleanup: No

Sample Amount: 1.00 Wipe

Sulfur Cleanup: No

Final Ext Vol: 10 mL

Conc/Dilution Factor: 1:1

Reported in Total ug/Sample

CAS	Number	Analyte		 Value	
126	74-11-2	Aroclor	1016	10	U
5346	59-21-9	Aroclor	1242	1.0	U
126	72-29-6	Aroclor	1248	1.0	U
1109	97-69-1	Aroclor	1254	1.0	U
1109	96-82-5	Aroclor	1260	1.0	U
1110	04-28-2	Aroclor	1221	2.0	U
1114	1-16-5	Aroclor	1232	1.0	U

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	94.5%
Tetrachlorometaxvlene	89.9%

- Indicates an estimated value when that result is less than the calculated detection limit.
- E Indicates a value above the linear range of the detector. Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- TT Indicates compound was analyzed for, but not detected at the given detection limit.
- Found in associated method blank B
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: Method Blank

Lab Sample ID: Y291MB

LIMS ID: 98-17039

Matrix: Wipe

QC Report No: Y291-Boeing Corporate SHEA

Project: NBF PCBs

25082.52 NA

Date Sampled: Date Received:

Data Release Authorized:

Reported: 08/31/98

Date extracted: 08/26/98

Date analyzed: 08/28/98 Sample Amount: 1.00 Wipe Final Ext Vol: 10 mL

GPC Cleanup: No

Florisil Cleanup: No Sulfur Cleanup: No Conc/Dilution Factor: 1:1

Reported in Total ug/Sample

CAS Number	Analyte		Value	
12674-11-2	Aroclor	1016	1.0	U
53469-21-9	Aroclor	1242	1.0	U
12672-29-6	Aroclor	1248	1.0	U
11097-69-1	Aroclor	1254	1.0	U
11096-82-5	Aroclor	1260	1.0	U
11104-28-2	Aroclor	1221	2.0	U
11141-16-5	Aroclor	1232	1 0 1	T

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl 101% Tetrachlorometaxylene 99.5%

- Indicates an estimated value when that result is less than the calculated detection limit.
- Indicates a value above the linear range of the detector. Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- Indicates compound was analyzed for, but not detected at the given detection limit.
- Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: CB-0584-131898-MAT

Lab Sample ID: Y291A

LIMS ID: 98-17028

Matrix: Sediment

QC Report No: Y291-Boeing Corporate SHEA

NBF PCBs Project:

25082.52

Date Sampled: 08/18/98

Date Received:

08/18/98

Data Release Authorized:

Reported: 09/16/98

Date extracted: 08/31/98 Date analyzed: 09/01/98

Sample Amount: 4.13 g-dry-wt

Final Ext Vol: 40 mL

pH: 8.0 GPC Cleanup: No

Florisil Cleanup: No

Acid Cleanup: Yes

Sulfur Cleanup: Yes

Conc/Dilution Factor: 1:1

Percent Moisture: 17.8%

Reported in Total ug/kg Dry Weight

CAS Number	Analyte		Value	
12674-11-2	Aroclor	1016	970	υ
53469-21-9	Aroclor	1242	970	U
12672-29-6	Aroclor	1248	970	U
11097-69-1	Aroclor	1254	36,000	
11096-82-5	Aroclor	1260	970	U
11104-28-2	Aroclor	1221	1,900	U
11141-16-5	Aroclor	1232	970	U

PCB-Aroclor Surrogate Recovery

Decachlorobiphenvl 88.3% Tetrachlorometaxylene 98.2%

- Indicates an estimated value when that result is less than the calculated detection limit.
- E Indicates a value above the linear range of the detector. Dilution Required
- Indicates no value reported due to saturation of the detector.
- Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- В Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Y Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: CB-0565-081898-MAT

Lab Sample ID: Y291D

LIMS ID: 98-17031

Matrix: Sediment

QC Report No: Y291-Boeing Corporate SHEA

NBF PCBs Project:

25082.52 Date Sampled: 08/18/98

Date Received: 08/18/98

Data Release Authorized:

Reported: 09/16/98

Date extracted: 08/31/98

Date analyzed: 09/07/98

Sample Amount: 9.10 g-dry-wt Final Ext Vol:

4.0 mL pH: 8.5

GPC Cleanup: No

Florisil Cleanup: No

Acid Cleanup: Yes Sulfur Cleanup: Yes

Conc/Dilution Factor: 1:1

Percent Moisture: 24.5%

Reported in Total ug/kg Dry Weight

CAS Number	Analyte		Value	
12674-11-2	Aroclor	1016	44	U
53469-21-9	Aroclor	1242	44	U
12672-29-6	Aroclor	1248	44	U
11097-69-1	Aroclor	1254	93	
11096-82-5	Aroclor	1260	38	J
11104-28-2	Aroclor	1221	88	U
11141-16-5	Aroclor	1232	44	U

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	67.5%
Tetrachlorometaxvlene	73.4%

- Indicates an estimated value when that result is less than the T calculated detection limit.
- Indicates a value above the linear range of the detector. E Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- Found in associated method blank B
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Indicates a raised reporting limit due to matrix interferences. Y The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: CD-0581-081898-MAT

Lab Sample ID: Y291E

LIMS ID: 98-17032

Matrix: Sediment

QC Report No: Y291-Boeing Corporate SHEA

Project: NBF PCBs

25082.52

08/18/98 Date Sampled: Date Received: 08/18/98

Data Release Authorized:

Reported: 09/16/98

Date extracted: 08/31/98

Date analyzed: 09/07/98

Sample Amount: 9.28 g-dry-wt Final Ext Vol: 4.0 mL

> pH: 7.9

GPC Cleanup: No

Florisil Cleanup: No

Acid Cleanup: Yes

Sulfur Cleanup: Yes

Conc/Dilution Factor: 1:1 Percent Moisture: 23.0%

Reported in Total ug/kg Dry Weight

CAS Number	Analyte		Value		
12674-11-2	Aroclor	1016	43	U	
53469-21-9	Aroclor	1242	43	U	
12672-29-6	Aroclor	1248	43	U	
11097-69-1	Aroclor	1254	290		
11096-82-5	Aroclor	1260	310		
11104-28-2	Aroclor	1221	86	U	
11141-16-5	Aroclor	1232	43	IJ	

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	108%
Tetrachlorometaxylene	80.0%

- Indicates an estimated value when that result is less than the calculated detection limit.
- E Indicates a value above the linear range of the detector. Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- B Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: CB-0584-081898-MAT

Lab Sample ID: Y291G

QC Report No: Y291-Boeing Corporate SHEA

LIMS ID: 98-17034

Project: NBF PCBs

Matrix: Sediment

25082.52

08/18/98 Date Sampled:

Date Received:

08/18/98

Data Release Authorized:

Reported: 09/16/98

Date extracted: 08/31/98

GPC Cleanup: No

Date analyzed: 09/01/98

Florisil Cleanup: No

Sample Amount: 3.91 g-dry-wt

Acid Cleanup: Yes Sulfur Cleanup: Yes

Final Ext Vol: 40 mL Conc/Dilution Factor: 1:1

pH: 8.0 Percent Moisture: 22.0%

Reported in Total ug/kg Dry Weight

CAS Number	Analyte	Value
	24 X	
12674-11-2	Aroclor 1016	1,000 U
53469-21-9	Aroclor 1242	1,000 U
12672-29-6	Aroclor 1248	1,000 U
11097-69-1	Aroclor 1254	31,000
11096-82-5	Aroclor 1260	1,000 U
11104-28-2	Aroclor 1221	2,000 U
11141-16-5	Aroclor 1232	1,000 U

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	91.4%
Tetrachlorometaxylene	99.7%

- J Indicates an estimated value when that result is less than the calculated detection limit.
- Indicates a value above the linear range of the detector. E Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- В Found in associated method blank
- Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- VV Indicates no value reportable - see additional analyses.
- Y Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: Method Blank

Lab Sample ID: Y291MB

QC Report No: Y291-Boeing Corporate SHEA

LIMS ID: 98-17028

Project: NBF PCBs

Matrix: Sediment

25082.52

Date Sampled:

Date Regeivéd: NA

AΝ

Data Release Authorized:

Reported: 09/16/98

Date extracted: 08/31/98

GPC Cleanup: No Florisil Cleanup: No

Date analyzed: 09/01/98

Acid Cleanup: Yes

Sample Amount: 5.00 g-dry-wt

Sulfur Cleanup: Yes

Final Ext Vol: 40 mL Conc/Dilution Factor: 1:1

pH: NA

Percent Moisture: NA

Reported in Total ug/kg Dry Weight

CAS Number		Analyte	Value		
	12674-11-2	Aroclor	1016	800	U
	53469-21-9	Aroclor	1242	800	
	12672-29-6	Aroclor	1248	800	U
	11097-69-1	Aroclor	1254	800	U
	11096-82-5	Aroclor	1260	800	U
	11104-28-2	Aroclor	1221	1,600	U
	11141-16-5	Aroclor	1232	800	U

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	85.5%
Tetrachlorometaxylene	95.6%

- Indicates an estimated value when that result is less than the J calculated detection limit.
- \mathbf{E} Indicates a value above the linear range of the detector. Dilution Required
- Indicates no value reported due to saturation of the detector.
- Indicates the surrogate was diluted out. D
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- B Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Y Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Lab Sample ID: Y291 LIMS ID: 98-17028

Matrix: Sediment

QC Report No: Y291-Boeing Corporate SHEA Project: NBF PCBs

25082.52

Data Release Authorized: Reported: 09/16/98

LABORATORY CONTROL SAMPLE SPIKE RECOVERY

Date extracted: 08/31/98

CONSTITUENT

SPIKE FOUND

SPIKE ADDED

RECOVERY

LABORATORY CONTROL SAMPLE

Aroclor 1242

7740

8000

96.8%

Aroclor Surrogate Recoveries

Decachlorobiphenyl Tetrachlorometaxylene

89.0%

99.5%

Values Reported in Total ug/kg Dry Weight



Sample No: Method Blank

Lab Sample ID: Y291MB

QC Report No: Y291-Boeing Corporate SHEA

LIMS ID: 98-17029

Project: NBF PCBs

Matrix: Sediment

25082.52

Date Sampled:

NA

Data Release Authorized:

Date Received: / NA

Reported: 09/16/98

Date extracted: 08/31/98

GPC Cleanup: No

Date analyzed: 09/07/98

Florisil Cleanup: No Acid Cleanup: Yes

Sample Amount: 12.0 g-dry-wt Final Ext Vol: 4.0 mL

Sulfur Cleanup: Yes

Conc/Dilution Factor: 1:1

pH: NA

Percent Moisture: NA

Reported in Total ug/kg Dry Weight

CAS Number	Analyte	Value	
12674-11-2	Aroclor 1016	33 U	
53469-21-9	Aroclor 1242	. 33 U	
12672-29-6	Aroclor 1248	33 U	
11097-69-1	Aroclor 1254	33 U	
11096-82-5	Aroclor 1260	33 U	
11104-28-2	Aroclor 1221	67 U	
11141-16-5	Aroclor 1232	33 U	

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	84.7%
Tetrachlorometaxylene	86.7%

- Indicates an estimated value when that result is less than the calculated detection limit.
- \mathbf{E} Indicates a value above the linear range of the detector. Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D. Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- R Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Lab Sample ID: Y291

LIMS ID: 98-17029

Matrix: Sediment

Data Release Authorized:

Reported: 09/16/98

QC Report No: Y291-Boeing Corporate SHEA Project: NBF PCBs

LABORATORY CONTROL SAMPLE SPIKE RECOVERY

Date extracted: 08/31/98

SPIKE

SPIKE

CONSTITUENT

FOUND

ADDED

LABORATORY CONTROL SAMPLE

Aroclor 1242

294

333

88.2%

Aroclor Surrogate Recoveries

Decachlorobiphenyl Tetrachlorometaxylene 89.5%

92.5%

Values Reported in Total ug/kg Dry Weight



Sample No: CB-0565-081898-MAT

MATRIX SPIKE

Lab Sample ID: Y291DMS

QC Report No: Y291-Boeing Corporate SHEA

LIMS ID: 98-17031

Project: NBF PCBs

Matrix: Sediment

25082.52

Date Sampled:

08/18/98

Date Received:

08/18/98

Data Release Authorized:

Reported: 09/16/98 Date extracted: 08/31/98

GPC Cleanup: No

Florisil Cleanup: No

Acid Cleanup: Yes

Sample Amount: 9.11 g-dry-wt

Sulfur Cleanup: Yes

Final Ext Vol: 4.0 mL

Date analyzed: 09/07/98

Conc/Dilution Factor: 1:1

Percent Moisture: 24.5%

pH: 8.5

Reported in Total ug/kg Dry Weight

CAS Number	Analyte		Value	
12674-11-2	Aroclor	1016	44	U
53469-21-9	Aroclor	1242		
12672-29-6	Aroclor	1248	44	U
11097-69-1	Aroclor	1254	100	
11096-82-5	Aroclor	1260	41	J
11104-28-2	Aroclor	1221	88	U
11141-16-5	Aroclor	1232	44	Ų

PCB-Aroclor Surrogate Recovery

70.9% Decachlorobiphenyl Tetrachlorometaxylene 78.2%

- J Indicates an estimated value when that result is less than the calculated detection limit.
- Indicates a value above the linear range of the detector. Dilution Required
- S Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- В Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Y Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Sample No: CB-0565-081898-MAT

SPIKE DUPLICATE

Lab Sample ID: Y291DMSD

QC Report No: Y291-Boeing Corporate SHEA

LIMS ID: 98-17031

Project: NBF PCBs

Matrix: Sediment

25082.52

Date Sampled:

08/18/98 08/18/98

Data Release Authorized:

/ Date Received:

Reported: 09/16/98

Date extracted: 08/31/98

GPC Cleanup: No Florisil Cleanup: No

Date analyzed: 09/07/98

Acid Cleanup: Yes

Sample Amount: 9.06 g-dry-wt

Sulfur Cleanup: Yes Conc/Dilution Factor: 1:1

Final Ext Vol: 4.0 mL

: Hq 8.5

Percent Moisture: 24.5%

Reported in Total ug/kg Dry Weight

CAS Number	Analyte		Value				
12674-11-2	Aroclor	1016	44.	Ų			
53469-21-9	Aroclor	1242		-			
12672-29-6	Aroclor	1248	44	U			
11097-69-1	Aroclor	1254	94				
11096-82-5	Aroclor	1260	33	J			
11104-28-2	Aroclor	1221	88	U			
11141-16-5	Aroclor	1232	.44	TT			

PCB-Aroclor Surrogate Recovery

Decachlorobiphenyl	74.9%
Tetrachlorometaxylene	85.4%

- Indicates an estimated value when that result is less than the calculated detection limit.
- Indicates a value above the linear range of the detector. Dilution Required
- Indicates no value reported due to saturation of the detector.
- D Indicates the surrogate was diluted out.
- U Indicates compound was analyzed for, but not detected at the given detection limit.
- Found in associated method blank
- NA Indicates compound was not analyzed.
- NR Indicates no recovery due to interferences.
- NV Indicates no value reportable - see additional analyses.
- Indicates a raised reporting limit due to matrix interferences. The analyte may be present at or below the listed concentration, but in the opinion of the analyst, confirmation was inadequate.



Lab Sample ID: Y291D

LIMS ID: 98-17031

Sample No: CB-0565-081898-MAT

QC Report No: Y291-Boeing Corporate SHEA

Project: NBF PCBs

Matrix: Sediment

25082.52

Data Release Authorized:

Reported: 09/16/98

Date Received: 08/18/98

MATRIX SPIKE/SPIKE DUPLICATE RECOVERY

Date extracted: 08/31/98

CONSTITUENT		IPLE LUE	SPIKE FOUND	SPIKE ADDED	% RECOVERY	RPD
MATRIX SPIKE						
Aroclor 1242	<	44.	336.	439	76.5%	s s 3°
MATRIX SPIKE DUPLICATE					z	
Aroclor 1242	<	44.	372.	442	84.3%	9.7%

Values Reported in Total ug/kg Dry Weight





Environmental and Geotechnical Services

TO:

Deborah Ladd, Project Manager, Landau Associates, Inc.

FROM:

Stacy Pischer, Landau Associates, Inc.

DATE:

October 2, 1998

RE:

NORTH BOEING FIELD

STORM DRAIN SYSTEM SAMPLING AUGUST 1998
LABORATORY DATA QUALITY EVALUATION

This memorandum provides the results of a data quality evaluation for 90 samples collected from material within the storm drain system at the North Boeing Field between August 6 and August 18, 1998. A data quality evaluation was performed for analyses of polychlorinated biphenyls (PCBs) (EPA method 8081) performed by the Analytical Resources, Inc. (ARI) laboratory located in Seattle, Washington. This data quality evaluation covers ARI data packages Y168, Y179, Y199, Y207, Y232, Y259, Y273, Y288, and Y291.

The data quality evaluation was performed in accordance with the *Storm Drain System Sampling* draft work plan (Landau Associates 1998), and with applicable portions of the U.S. Environmental Protection Agency (EPA) *Contract Laboratory Program National Functional Guidelines for Organic Data Review* (EPA 1994).

The evaluation considered the following elements:

- Chain-of-custody records
- Holding times
- Blank results (laboratory, method, and field)
- Surrogate recoveries
- Laboratory matrix spikes and matrix spike duplicates (MS/MSD) (including laboratory control samples)
- Duplicate analyses (field)
- Quantitation limits
- Conclusions and completeness.

Data precision was evaluated through field and matrix spike duplicates. Data accuracy was evaluated through laboratory control samples, surrogate spikes, and matrix spikes. Precision and accuracy were within project-specified control limits with the following discussion.

CHAIN-OF-CUSTODY RECORDS

Signed chain-of-custody records accompanied each data package. All analyses requested were performed.

HOLDING TIMES

For all analyses and all samples, the time between sample collection, extraction, and analysis was determined to be within EPA and project-specified holding times with the following exception. The time between sample collection and extraction for sample CB-0509-081798-MAT was exceeded by 1 day. All results for this sample were qualified as estimated (J, UJ) as shown in Table A.2.1.

SURROGATE SPIKE RECOVERIES

All criteria were met with the following exceptions. The recovery of surrogate decachlorobiphenyl for sample CB-0627-081098-MAT was below current laboratory control limits but within the project specified control limits. The other surrogate for this sample was also low (40 percent) but within current laboratory and project-specified control limits. No qualifiers were assigned.

The recovery of tetrachloro-m-xylene was not reported for sample OWS-0137-081098-MAT; however, the recovery of surrogate decachlorobiphenyl was acceptable so no qualifiers were assigned. Recoveries of surrogates for several samples in data package Y259 were low (39 percent to 54 percent) but within project specified control limits. No qualifiers assigned.

Surrogate recoveries for the MS/MSD pair, CB-0197-08798-MAT, were below the project-specified control limits. The laboratory reextracted and reanalyzed this MS/MSD pair. Both surrogate recoveries for the reanalyses were acceptable. No qualifiers assigned.

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

All MS/MSDs were prepared using a project sample. Recoveries and RPDs were within the project-specified control limits with the following exception. The MS recovery for MS/MSD sample CB-0197-08798-MAT was low but within project-specified control limits; however, the MSD recovery was below the project specified control limits. Because of the low MS/MSD recoveries and low surrogate recoveries for this sample, the laboratory reextracted the sample 5 days past the holding time (although the sample was frozen) and reanalyzed the MS/MSD. The recoveries of the second MS/MSD were within project-specified control limits. No qualifiers were assigned.

LABORATORY CONTROL SAMPLE (BLANK SPIKE) RESULTS

All criteria were met. Laboratory control samples were performed with each sample batch. No qualification necessary.

METHOD BLANKS

Method blanks were analyzed with each batch of samples. No contamination was detected in the method blanks.

FIELD BLANKS

Field equipment wipe blanks were collected; however, these blanks were not collected at the frequency specified in the work plan. The work plan specifies that field equipment blanks will be collected at a frequency of at least one per 20 samples, not including QC samples, but not less than one equipment blank per sampling round. Only four equipment wipe blanks were collected for 90 samples. No contamination was detected in any of the four field equipment wipe blanks. No qualifiers were assigned due to lack of field equipment blanks.

FIELD DUPLICATE RESULTS

Only four blind field duplicate samples were collected during this sampling event, which does not meet the project specified criteria of at least one blind field duplicate sample per 20 samples but not less than one blind field duplicate sample per sampling round, as specified in the work plan. RPDs for each of the blind duplicate sample pairs were less than 35 percent, therefore, no qualifiers were assigned. No qualifiers were assigned based on lack of blind field duplicate samples.

REPORTING LIMITS

Project-specified control limits for each of the PCB aroclors were not met for most of the samples. For many of the samples, the reporting limits significantly exceeded the project-specified control limits. The laboratory reports that samples were pre-screened by GC/ECD to determine appropriate extraction levels, which is the cause for many of the raised reporting limits.

OVERALL DATA QUALITY AND COMPLETENESS

Data precision was evaluated through field and matrix spike duplicates. Data accuracy was evaluated through laboratory control samples, surrogate spikes, and matrix spikes. Based on this data quality evaluation, all of the data were determined to be acceptable and no data were rejected. The completeness for this set of data is 100 percent, which meets the project-specified goal of 90 percent.

REFERENCES

EPA. 1994. Contract Laboratory Program National Functional Guidelines for Organic Data Review. U.S. Environmental Protection Agency.

Landau Associates. 1998. Draft Storm Drain System Sampling North Boeing Field Work Plan.

TABLE A.2.1

SUMMARY OF DATA QUALIFIERS FOR AUGUST 1998 EVENT GROUNDWATER SAMPLE RESULTS ARI DATA PACKAGES Y168, Y179, Y199, Y207, Y232, Y259, Y273, Y288, AND Y291

. 8	a a	6		
Analyte	Qualifier	Sample Number	Reason	
All Aroclors	J, detects UJ, nondetects	CB-0509-081798-MAT	Holding time exceeded by 1 day	

J = The analyte is present in the sample; the reported concentration is an estimate.

UJ = The analyte was not detected in the sample; the reported sample detection limit is an estimate.

HAZARDOUS WASTE REPORT

Lab Id: 00-B369

Field Id No.: PL2SA-1798 565

Analyte	Result	Units	Method #	Analyst	Date	Status	
METALS:							•
Arsenic:	4.18	mg/Kg	200.7	Linda	5/23/00		
Barium:	67.36	mg/Kg	200.7	Linda	5/23/00		
Cadmium:	< 0.01	mg/Kg	200.7	Linda	5/23/00		
Chromium:	15.15	mg/Kg	200.7	Linda	5/23/00	¥	
Copper:	47.05	mg/Kg	200.7	Linda	5/23/00		
Lead:	133.30	mg/Kg	200.7	Linda	5/23/00	FD	
Mercury:	< 0.1	mg/Kg	200.7	Linda	5/23/00		
Nickel:	17.21	mg/Kg	200.7	Linda	5/23/00		
Selenium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	*	
Silver:	< 0.01	mg/Kg	200.7	Linda	5/23/00		
Zinc:	227.50	mg/Kg	200.7	Linda	5/23/00		
Iron:	12,400.0	mg/Kg	200.7	Linda	5/23/00		
Calcium:	5,628.00	mg/Kg	200.7	Linda	5/23/00		
Thallium:	< 0.05	mg/Kg	200.7	Linda	5/23/00		
Sodium:	582.90	mg/Kg	200.7	Linda	5/23/00		
Magnesium:	3,004.00	mg/Kg	200.7	Linda	5/23/00		
Aluminum:	7,457.00	mg/Kg	200.7	Linda	5/23/00		
ORGANICS:							
Benzene:	< 10	ppb	602/624	Ed	5/23/00		
Toluene:	< 10	ppb	602/624	Ed	5/23/00		
Ethylbenzene:	< 10	ppb	602/624	Ed	5/23/00		
Methylene Chloride:	< 10	ppb	601/624	Ed	5/23/00		
1,1 Dichloroethane:	< 10	ppb	601/624	Ed	5/23/00		
Chloroform:	< 10	ppb	601/624	Ed	5/23/00		
1,1,1 Trichloroethane:	< 10	ppb	601/624	Ed	5/23/00		
Trichloroethene:	< 10	ppb	601/624	Ed	5/23/00		
Tetrachloroethene:	< 10	ppb	601/624	Ed	5/23/00		
,2,2 Tetrachloroethane:	< 10	ppb	601/624	Ed	5/23/00		
Acetone:	< 100	ppb	602/624	Ed	5/23/00		
o-Xylene:	< 10	ppb	602/624	Ed	5/23/00		
m&p-Xylene:	< 10	ppb	602/624	Ed	5/23/00		
OTHER TESTS:							
PCB:	0.05	mg/Kg	8080	KSC	5/26/00		
otal Pet. Hydrocarbons:	272	ppm	418.1	Mike	5/25/00		

Report prepared by:

Date: 5/26/00

HAZARDOUS WASTE REPORT

Lab Id: 00-B370

Field Id No.: PL2SA-1798 578

Analyte	Result	Units	Method #	Analyst	Date	Status
METALS:						
Arsenic:	27.57	mg/Kg	200.7	Linda	5/23/00	
Barium:	70.53	mg/Kg	200.7	Linda	5/23/00	
Cadmium:	0.15	mg/Kg	200.7	Linda	5/23/00	
Chromium:	58.61	mg/Kg	200.7	Linda	5/23/00	(*)
Copper:	104.90	mg/Kg	200.7	Linda	5/23/00	я я
Lead:	118.90	mg/Kg	200.7	Linda	5/23/00	FD
Mercury:	< 0.1	mg/Kg	200.7	Linda	5/23/00	
Nickel:	27.86	mg/Kg	200.7	Linda	5/23/00	
Selenium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	•
Silver:	< 0.01	mg/Kg	200.7	Linda	5/23/00	
Zinc:	339.40	mg/Kg	200.7	Linda	5/23/00	
Iron:	10,080.0	mg/Kg	200.7	Linda	5/23/00	
Calcium:	3,515.00	mg/Kg	200.7	Linda	5/23/00	
Thallium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	
Sodium:	618.20	mg/Kg	200.7	Linda	5/23/00	
Magnesium:	2,153.00	mg/Kg	200.7	Linda	5/23/00	
Aluminum:	7,268.00	mg/Kg	200.7	Linda	5/23/00	
ORGANICS:	- 100 E					
Benzene:	< 10	ppb	602/624	Ed	5/23/00	in the second
Toluene:	< 10	ppb	602/624	Ed	5/23/00	
Ethylbenzene:	< 10	ppb	602/624	Ed	5/23/00	
Methylene Chloride:	< 10	ppb	601/624	Ed	5/23/00	
1,1 Dichloroethane:	< 10	ppb	601/624	Ed	5/23/00	
Chloroform:	< 10	ppb	601/624	Ed	5/23/00	
1,1,1 Trichloroethane:	< 10	ppb	601/624	Eđ	5/23/00	
Trichloroethene:	< 10	ppb	601/624	Ed	5/23/00	
Tetrachloroethene:	< 10	ppb	601/624	Ed	5/23/00	
1,1,2,2 Tetrachloroethane:	< 10	ppb	601/624	Ed	5/23/00	
Acetone:	< 100	ppb	602/624	Ed	5/23/00	
o-Xylene:	< 10	ppb	602/624	Ed	5/23/00	
m&p-Xylene:	< 10	ppb	602/624	Ed	5/23/00	ži.
OTHER TESTS:	s ²					
PCB:	0.42	mg/Kg	8080	KSC	5/26/00	
Total Pet. Hydrocarbons:	1,110	ppm	418.1	Mike	5/25/00	

Report prepared by: Date: 5/26/00

Report approved by: Linda Chiquetto Date: 5/26/00

Page:

HAZARDOUS WASTE REPORT

Lab Id: 00-B371

Field Id No.: PL2SA-1798 581

Analyte	Result	Units	Method #	Analyst	Date	Status
METALS:						
Arsenic:	16.95	mg/Kg	200.7	Linda	5/23/00	
Barium:	74.39	mg/Kg	200.7	Linda	5/23/00	
Cadmium:	2.12	mg/Kg	200.7	Linda	5/23/00	
Chromium:	62.26	mg/Kg	200.7	Linda	5/23/00	
Copper:	117.40	mg/Kg	200.7	Linda	5/23/00	
Lead:	127.90	mg/Kg	200.7	Linda	5/23/00	FD
Mercury:	< 0.1	mg/Kg	200.7	Linda	5/23/00	
Nickel:	43.92	mg/Kg	200.7	Linda	5/23/00	
Selenium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	8
Silver:	< 0.01	mg/Kg	200.7	Linda	5/23/00	
Zinc:	334.20	mg/Kg	200.7	Linda	5/23/00	
Iron:	23,090.0	mg/Kg	200.7	Linda	5/23/00	
Calcium:	3,800.00	mg/Kg	200.7	Linda	5/23/00	a
Thallium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	
Sodium:	597.10	mg/Kg	200.7	Linda	5/23/00	5
Magnesium:	2,280.00	mg/Kg	200.7	Linda	5/23/00	
Aluminum:	7,292.00	mg/Kg	200.7	Linda	5/23/00	
ORGANICS:						
Benzene:	< 10	ppb	602/624	Ed	5/23/00	, ,
Toluene:	< 10	ppb	602/624	Ed	5/23/00	
Ethylbenzene:	< 10	ppb	602/624	Ed	5/23/00	
Methylene Chloride:	< 10	ppb	601/624	Ed	5/23/00	5
1,1 Dichloroethane:	< 10	ppb	601/624	Ed	5/23/00	
Chloroform:	< 10	ppb	601/624	Ed	5/23/00	
1,1,1 Trichloroethane:	< 10	ppb	601/624	Ed	5/23/00	2
Trichloroethene:	< 10	ppb	601/624	Ed	5/23/00	
Tetrachloroethene:	< 10	ppb	601/624	Ed	5/23/00	
1,1,2,2 Tetrachloroethane:	< 10	ppb	601/624	Ed	5/23/00	
Acetone:	< 100	ppb	602/624	Ed	5/23/00	
o-Xylene:	< 10	ppb	602/624	Ed	5/23/00	
m&p-Xylene:	< 10	ppb	602/624	Ed	5/23/00	
OTHER TESTS:	* *					
PCB:	0.97	mg/Kg	8080	KSC	5/26/00	
Total Pet. Hydrocarbons:	329	ppm	418.1	Mike	5/25/00	

HAZARDOUS WASTE REPORT

Lab Id: 00-B372

Field Id No.: PL2SA-1798 584

Analyte	Result	Units	Method #	Analyst	Date	Status
METALS:						
Arsenic:	59.19	mg/Kg	200.7	Linda	5/23/00	
Barium:	101.40	mg/Kg	200.7	Linda	5/23/00	
Cadmium:	4.28	mg/Kg	200.7	Linda	5/23/00	
Chromium:	89.81	mg/Kg	200.7	Linda	5/23/00	
Copper:	118.50	mg/Kg	200.7	Linda	5/23/00	
Lead:	817.20	mg/Kg	200.7	Linda	5/23/00	FD
Mercury:	< 0.1	mg/Kg	200.7	Linda	5/23/00	
Nickel:	50.19	mg/Kg	200.7	Linda	5/23/00	
Selenium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	
Silver:	< 0.01	mg/Kg	200.7	Linda	5/23/00	
Zinc:	676.40	mg/Kg	200.7	Linda	5/23/00	
Iron:	27,820.0	mg/Kg	200.7	Linda	5/23/00	
Calcium:	4,071.00	mg/Kg	200.7	Linda	5/23/00	
Thallium:	< 0.05	mg/Kg	200.7	Linda	5/23/00	
Sodium:	601.60	mg/Kg	200.7	Linda	5/23/00	
Magnesium:	2,205.00	mg/Kg	200.7	Linda	5/23/00	
Aluminum:	7,564.00	mg/Kg	200.7	Linda	5/23/00	
ORGANICS:						
Benzene:	< 10	ppb	602/624	Ed	5/23/00	
Toluene:	< 10	ppb	602/624	Ed	5/23/00	
Ethylbenzene:	< 10	ppb	602/624	Ed	5/23/00	
Methylene Chloride:	< 10	ppb	601/624	Ed	5/23/00	
1,1 Dichloroethane:	< 10	ppb	601/624	Ed	5/23/00	
Chloroform:	< 10	ppb	601/624	Ed	5/23/00	
1,1,1 Trichloroethane:	< 10	ppb	601/624	Ed	5/23/00	
Trichloroethene:	< 10	ppb	601/624	Ed	5/23/00	
Tetrachloroethene:	< 10	ppb	601/624	Ed	5/23/00	
1,1,2,2 Tetrachloroethane:	< 10	ppb	601/624	Ed '	5/23/00	*
Acetone:	< 100	ppb	602/624	Ed	5/23/00	
o-Xylene:	< 10	ppb	602/624	Eđ	5/23/00	
m&p-Xylene:	< 10	ppb	602/624	Ed	5/23/00	
OTHER TESTS:		and the second				
PCB:	213	mg/Kg	8080	KSC	5/26/00	
Total Pet. Hydrocarbons:	348	ppm	418.1	Mike	5/25/00	